

## REFERÊNCIAS BIBLIOGRÁFICAS

- ADAMSON, G.D. Treatment of uterine fibroids: current findings with gonadotropin-releasing hormone agonists. **Am. J. Obstet. Gynecol.**, v.166, p.746-51, 1992.
- ALBERTS, B.; BRAY, D.; LEWIS J.; RAFF, M.; ROBERTS, K.; WATSON, J. Molecular biology of the cell. New York: Garland Publishing, 802 -8, 1989.
- ALSINA, J.C. **GnRH y analogos en medicina reproductiva.** Editora: Hoechst Ibérica, 1990. p.65-74.
- AMERIKIA, H.; EVANS, T.N. Ten-year review of hysterectomies: Trends, indications, risks. **Am. J. Obstet. Gynecol.**, v.134, p.431, 1979.
- ANANIA, C.A.; STEWART, E.A.; QUADE, B.J.; HILL, J.A.; NOWAK, R.A. Expression of He fibroblast growth factor receptor in women with leiomyomas and abnormal uterine bleeding. **Mol. Hum. Reprod.**, v.3, p.685-91, 1997.
- ANDERSON, F. Treating uterine fibroids with GnRH agonists. **Contemp. Obstet Gynecol.**, v.37, p.62-75, 1992.
- ANDREOTTI, R.F.; ZUSMER, N.R.; SHELDON, J.J. et al  
Ultrasound and magnetic resonance imagind of pelvic masses. **Surg. Gynecol. Obstet.**, v.166, p.327-37, 1988.

- AYALA, A.R.; MEZA, E.; AGUILAR, R.C.; MARIN, I.H. Effect of insufflated nafarelin (D-Nal-6-GnRH) upon uterine leiomyomata. **Arch. Med. Res.** , v.26, p.S23-S26, 1995. Supplement.
- AZUMI, N.; CZERNOBILSKY, B. Immunohistochemistry in KURMAN, R.J. BLAUNSTEIN'S pathology of female genital tract . 4th edition, 1994:1131-1159.
- BARBIERI, R.L. Gonadotropin-releasing hormone agonists and strogen-progestogen replacement therapy. **Am. J. Obstet. Gynecol.**, v.162, p.593-5, 1990.
- BARBIERI, R.L.; REIN, M.S.; DILENA, M.; FRIEDMAN, A.J.; CHUMAS, J. Leuprolide acetate depot decreases the number of nucleolar organizer regions in uterine leiomyomata. **Fertil. Steril.**, v.60, p.569-70, 1993.
- BASTOS, A.C.; DANCINI, C.A. Tratamento conservador do mioma do útero. **Ginec. Obstet. Bras.**, v.9, p.214, 1986. ?????
- BENAGIANO, G.; KIVINEN, S.T.; FADINI, R. Zoladex (goserelin acetate) and the anemic patient: results of a multicenter fibroid study. **Fertil. Steril.**, v.66, p.223-9, 1996.
- BOZZINI, N.; LIAO, A.W.; PEREIRA, P.A.A.; POMPEI, L.M.; RAMOS, L.O. Análogos do GnRH no tratamento do leiomioma uterino: experiência de 4 anos. **Femina**, v.25, p.701-4, 1997.

- BOZZINI, N.; REALTI, C.; FONSECA, A.M.; PINOTTI, J.A.  
Tratamento do mioma uterino. **Rev. Ginecol. Obstet. São Paulo**, v.5, p.243-7, 1994.
- BREULLER-FOUCHÉ, M.; VACHER-LAVENU, M.C.;  
FOURNIER, T.; MORICE, P.; FERRÉ, F. Endothelin<sub>A</sub> receptors in  
human uterine leiomyomas. **Obstet. Gynecol.**, (0 (5)p.727-30,  
1997.
- BROEKMANS, F.J.; HOMPES, P.G.A.; HEITBRINK, M.A.;  
NETELENBOS, C.C.; ROOS, J.C.; FALKE, T.M.;  
SCHOEMAKER, J. Two-step gonadotropin-releasing hormone  
agonist treatment of uterine leiomyomas: standard-dose therapy  
followed by reduced-dose therapy. **Am. J. Obstet. Gynecol.**,  
v.175, p.1208-16, 1996.
- BROSENS, I.; JOHANNISSON, E.; CIN, P.D.; DEPREST, J.;  
BERGHE, H.V. Analysis of the karyotype and desoxyribonucleic  
acid content of uterine myomas in premenopausal, menopausal,  
and gonadotropin-releasing hormone agonist-treated females.  
**Fertil. Steril.**, v.66, p.376-9, 1996.
- Brow D C, Cole D, Gatter KC, Mason DY (1988) Carcinoma of the  
cervix uteri: An assessment of tumor proliferation using the  
monoclonal antibody Ki-67 Br J Cancer 57:178-181

- BURGUS, R.; BUTCHER, M.; AMOSS, M.; LING, N.; MONAHAN, M.W.; RIVIER, J.; FELLOWS, R.; BLACKWELL, R.; VALE, W.; GUILLEMIN, R. Primary structure of the ovine hypothalamic luteinizing hormone releasing factor (LRF). **Proc. Natl. Acad. Sci.**, v.69, p.78-82, 1972.
- BUTTRAM, V.; REITER, R. Uterine leiomyomata: etiology, symptomatology and management. **Fertil. Steril.**, v.36, p.433-45, 1981
- CAMPUSANO, C.M.; ZAPATA, R.L.; BIANCHI, M.O.; BADIA, J.I.A.; ARTEAGA, E.U. Utilidad de los agonistas de GnRH en el tratamiento preoperatorio de la miomatosis uterina complicada. **Rev. Chil. Obstet. Ginecol.**, v.58, p.150-4, 1993.
- CANDIANI, G.B.; FEDELE, L.; PARAZZINI, F.; VILLA, L. Risk of recurrence after myomectomy. **Br. J. Obstet. Gynecol.**, v.98, p.385-9, 1991.
- CARR, B.R.; MARSHBURN, P.B.; WEATHERALL, P.T.; BRADSHAW, K.D.; BRESLAU, N.A.; BYRD, W.; ROARK, M.; STEINKAMPF, M.P. An evaluation of the effect of gonadotropin-releasing hormone analogs and medroxyprogesterone acetate on uterine leiomyomata volume by magnetic resonance imaging: a prospective, randomized, double blind, placebo-controlled, crossover trial. **J. Clin. Endocrinol. Metabol.**, v.76, p.1217-23, 1993.

- Carvalho, FM. Manual de patologia ginecológica: roteiros macro e microscópicos. Audichromo editora, São Paulo, 1994, p.64
- CHANG , C.D.; TRAVALI, S.; LIPSON, K.E.; BASERGA, R. Transcriptional and posttranscriptional regulation of proliferating cell nuclear antigen gene. **Mol. Cel. Biol.**, v.10, p.3289-96, 1990.
- CIRKEL, U.; OCHS, H.; ROEHL, A.; SCHNEIDER, P.G. Estrogen and progesterone receptor content of enucleated uterine myomata after luteinizing hormone-releasing hormone. **Acta Obstet. Gynecol. Scand.**, v.73, p.328-32, 1994.
- CIRKEL, U.; OCHS, H.; SCHNEIDER, H.P.G.; METTLER, L.; MAYER-EICHBERGER, D.; SCHINDLER, A.E.; BÜHLER, K.; WINKLER, U.; ZAHRADNIK, H.P.; KÜNZIG, H.J.; KNAK, J.; PATEROK, E.; MEINEN, K.; MANCARELLA, D.; GERHARD, I.; LEHMANN, F.; VÖLKER, W. Experience with leuprorelin acetate depot in the treatment of fibroids: a German multicentre study. **Clin. Ther.**, v.14, p.37-50, 1992. Supplement A.
- CONN, P.M.; CROWLEY, W.F. Gonadotropin-releasing hormone and its analogues. **N. Engl. J. Med.**, v.324, p.93-103, 1991.
- CRAMER, S.F.; ROBERTSON, A.L.; ZIATS, N.P.; PEARSON, O.H. Growth potential of human uterine leiomyomas: Some In vitro observations and their implications. **Obstet. Gynecol.**, v.66, p.36-41, 1985.

- CROW, J.; GARDNER, R.L.; MCSWEENEY, G.; SHAW, R.W. Morphological changes in uterine leiomyomas treated by GnRH agonist goserelin. **Int. J. Gynecol. Pathol.**, v.14, p.235-42, 1995.
- D'ADDATO, F.; REPINTO, A.; ANDREOLI, C. Pre-surgical treatment of uterine myomas with LH-RH agonists. **Clin. Exp. Obstet. Gynecol.**, v.19, p.45-50, 1992.
- DE LUCA, L.A. **Ginecologia -semiologia clínica e laboratorial**. São Paulo, Sarvier, 1981.
- DELIGDISCH, L.; HIRSCHMANN, S.; ALTCHER, A. Pathologic changes in gonadotropin releasing hormone agonist analogue treated uterine leiomyomata. **Fertil. Steril.**, v.67, p.837-41, 1997.
- DELIGDISCH, L.; LOWENTHAL, M. Endometrial changes associated with myomata of the uterus. **J. Clin. Pathol.**, v.23, p.676, 1970
- DUBUISSON, J; CHAPRON C, CHAVET X, et al :Fertility after laparoscopic myomectomy of large intramural myomas : preliminary results. **Hum Reprod.**1996;3;518-522
- ESPOSITO, J.P. **Expressão da imunoreatividade de marcadores de proliferação celular e supressão tumoral em carcinomas de células escamosas do trato aéreo digestivo de pacientes submetidos a tratamento cirúrgico: correlações anatômicas**. São Paulo, 1998.

Tese (Doutorado) -Faculdade de Medicina, Universidade de São Paulo.

- EXACOUSTOS, C.; ROSATI, P. Ultrasound diagnosis of uterine myomas and complications in pregnancy. **Obstet. Gynecol.**, v.82, p.97-101, 1993.
- FEDELE, L.; BIANCHI, S.; BAGLIONI, A.; ARCAINI, L.; MARCHINI, M.; BOCCIOLONE, L. Intranasal buserelin versus surgery in the treatment of uterine leiomyomata: long-term follow-up. **Eur. J. Obstet. Gynecol. Reprod. Biol.**, v.38, p.53-7, 1990a.
- FEDELE, L.; VERCELLINI, P.; BIANCHI, S.; BRIOSCHI, D.; DORTA, M. Treatment with GnRH agonists before myomectomy and the risk of short-term myoma recurrence. **Br. J. Obstet. Gynaecol.**, v.97, p.393-6, 1990b.
- FRANK, R.T. Operative vs nonoperative procedures for uterine fibroids. **J.A.M.A.**, v.140, p.1001-8, 1949.
- FRIEDMAN, A.J. Acute urinary retention after gonadotropin-releasing hormone agonist treatment for leiomyomata uteri. **Fertil. Steril.**, v.59, p.677-8, 1993.
- FRIEDMAN, A.J.; BARBIERI, R.L.; BENACERRAF, B.R.; SCHIFF, I. Treatment of leiomyomata with intranasal or subcutaneous leuprolide, a gonadotropin-releasing hormone agonist. **Fertil. Steril.**, v.48, p.560-4, 1987.

- FRIEDMAN, A.J.; DALY, M.; JUNEAU-NORCROSS, M.; FINE, C.; REIN, M.S. Recurrence of myomas after myomectomy in women pretreated with leuprolide acetate depot or placebo. **Fertil. Steril.**, v.58, p.205-8, 1992a.
- FRIEDMAN, A.J.; DALY, M.; JUNEAU-NORCROSS, M.; REIN, M.S. Predictors of uterine volume reduction in women with myomas treated with a gonadotropin-releasing hormone agonist. **Fertil. Steril.**, v.58, p.413-5, 1992b.
- FRIEDMAN, A.J.; DALY, M.; JUNEAU-NORCROSS, M.; REIN, M.S.; FINE, C.; GLEASON, R.; LEBOFF, M. A prospective, randomized trial of gonadotropin-releasing hormone agonist plus estrogen-progestin or progestin "add-back" regimens for women with leiomyomata uteri. **J. Clin. Endocrinol. Metabol.**, v.76, p.1439-45, 1993.
- FRIEDMAN, A.J.; HAAS, S.T. Should uterine size be an indication for surgical intervention in women with myomas? **Am. J. Obstet.Gynecol.**, v.168, p.751-5, 1993.
- FRIEDMAN, A.J.; REIN, M.S.; HARRISON-ATLAS, D.; GARFIELD, J.M.; DOUBILET, M. A randomized, placebo-controlled, double-blind study evaluating leuprolide acetate depot treatment prior to myomectomy. **Fertil. Steril.**, v.52, p.728-33, 1989.



- FUJITA, M. Histological and biochemical studies of collagen in human uterine leiomyomas. **Hokkaido Igaku Zashi**, v.60, p.602-15, 1985.
- FUKUDA, M.; SHIMIZU, T.; FUKUDA, K.; YOMURA, W.; SHIMIZU, S. Transvaginal hysterosonography for differential diagnosis between submucous and intramural myoma. **Gynecol. Obstet. Invest.**, v.35, p.236-39, 1993.
- GALAND, P.; DEGRAEF, C. Cyclin/PCNA immunostaining as an alternative to tritiated thymide pulse labelling for marking S phase cells in paraffin sections from animal and human tissues. **Cell Tissue Kinet.**, v.22, p.383-92, 1989.
- GARCIA, R.L.; COLTRERA, M.D.; GROWN, A.M. Analysis of proliferative grade using anti-PCNA-cyclin monoclonal antibodies in fixed, embedded tissues. Comparison with flow cytometric analysis. **Am. J. Pathol.**, v.134, p.733-39, 1989.
- GEHLBACK, D.L.; SOUSA, R.C.; CARPENTER, S.E.; ROCK, J.A. Abdominal myomectomy in the treatment of infertility. **Int. J. Gynecol., Obstet.**, v.40, p.45-50, 1993.
- GERRIS, J.; DEGUELDRE, M.; PETERS, A.A.W.; ROMAO, F.; STJERNQUIST, M.; AL-TAHER, H. The place of Zoladex in deferred surgery for uterine fibroids. **Horm. Res.**, v.45, p.279-84, 1996.

- GOLDFARB, H.A. Nd:YAG Laser laparoscopic coagulation of symptomatic myomas. **J. Reprod. Med.**, v.37, p.636-8, 1992.
- GOLDRATH, M.H. Vaginal removal of the pedunculated submucous myoma – Historical observations and development of a new procedure. **J. Reprod. Med.**, v.35, p.921-4, 1990.
- GROSS, B.H.; SILVER, T.M.; JAFFE, M.H. Sonographic features of uterine leiomyomas. Analysis of 41 proven cases. **J. Ultrasound**, v.2, p.401-6, 1983.
- Hackenberg, R.; Gesenhues, T.; Deichert, U.; Duda, V.; Schmidt-Rhode, P.; Schultz, K.D. the response of uterine fibroids to GnRH agonist treatment can be predicted in most cases after a month. **Eur. J. Obstet. Gynecol. Reprod. Biol.**, v.45, p.25-9, 1992.
- HALL, P.A.; LEVISON, D.A.; WOODS, A.L.; LANE, D.P. Proliferating cell nuclear antigen (PCNA) immunolocalization in paraffin sections: an index of cell proliferation with evidence of deregulated expression in some neoplasms. **J. Pathol.**, v.162, p.285-90, 1990.
- HARDING, S.G.; PESCE, A.; MCMILLAN L. Symptomatic ascites complicating GnRH analogue use for myoma shrinkage. **Br. J. Obstet. Gynecol.**, v.100, p.1054-6, 1993.
- HARRIS, W.J. Uterine dehiscence following laparoscopic myomectomy. **Obstet. Gynecol.**, v.80, p.545-6, 1992.

- HASSON, H.M. The role of laparoscopy in myomectomy. **Int. J. Fertil.**, v.41, p.276-9, 1996.
- HUANG, S.C.; YU, C.H.; HUANG, R.T.; HSU, K.F.; TSAI, Y.C.; CHOU, C.Y. Intratumoral blood flow in uterine myoma correlated with a lower tumor size and volume, but not correlated with cell proliferation or angiogenesis. **Obstet. Gynecol.**, v.87, p.019-24, 1996.
- HUNT, S.E.; WALLACH, E.E. Uterine factors In infertility: An overview. **Clin. Obstet. Gynecol.**, v.17, p.44, 1974
- ICHIMURA, T.; KAWAMURA, N.; ITO, F.; SHIBATA, S.; MINAKUCHI, K.; TSUJIMURA, A.; UMESAKI, N.; OGITA, S. Correlation between the growth uterine leiomyomata and strogen and progesterone receptor content in needle biopsy specimens. **Fertil. Steril.**, v.70, p.967-71, 1998.
- INDMAN, P.D. Hysteroscopic treatment of menorrhagia associated with uterine leiomyomas. **Obstet. Gynecol.**, v.??, p.716-20, 1993.
- ITO, M.; SAKODA, Y.; OKAMURA, H. Calcium metabolism in premenopausal women treated by a Gn-RH agonist for uterine myoma. **Endocrinol. Japon.**, v.37, p.907-13, 1990.

- JOHANSEN, J.S.; RIIS, B.J.; HASSAGER, C.; MOEN, M.; JACOBSON, J.; CHRISTIANSEN, C. The effect of a gonadotropin-releasing hormone agonist analog (nafarelin) on bone metabolism. **J. Clin. Endocrinol. Metab.**, v.67, p.701-6, 1988.
- Kalir, T; Goldstein, M; Dottino, P; Brodman, M; Gordon, R; Deligdisch, L; Wu, H; Gil, J. Morphometric and electron-microscopic analyses of the effects of GnRH agonists on uterine leiomyomas. *Arch Pathol. Lab. Med.*, 122: 442 -6, 1998.
- Kawaguchi K, Fujii S, Konishi I, et al: Mitotic activity in uterine leiomyomas during the menstrual cycle. *Am J Obstet Gynecol* 160:637-641, 1989.
- Konishi I, Fujii S, Nonogaki , Nanbu Y, Iwai T, Mori T (1991) Immunohistochemical analysis of estrogen receptors, progesterone receptors, Ki-67 antigen, and human papillomavirus DNA in normal and neoplastic epithelium of the uterine cervix. *Cancer*68: 1340-1350
- LEE, K.H.; KHAN-DAWOOD, F.S.; DAWOOD, M.Y. Oxytocin receptor and its messenger ribonucleid acid in human leiomyoma and myometrium. **Am. J. Obstet. Gynecol.**, v.179, p.620-7, 1998.
- LEWIS, B.V. Hysteroscopy for the investigation of abnormal uterine bleeding. **Br. J. Obstet. Gynaecol.**, v.97, p.283, 1990.

- MALATESTA, M.L.F.; VENEZIANO, M.; SCARAZZO, T.; PAOLUCCI, A.; BANDIERA, A.F.; FIORELLI, C.; MILETO, F.; D'ANNA, A. Gli analoghi del Gn-RH nel trattamento della patologia ginecologica benigna: orientamenti attuali. **Minerva Ginecol.**, v.47, p.349-53, 1995.
- MATSUO, H.; BABA, Y.; NAIR, R.M.; ARIMURA, A.; SCHALLY, A.V. Structure of the porcine LH and FSH releasing hormone. I. The proposed amino acid sequence. **Biochem. Biophys. Res. Commun.**, v.43, p.1334-9, 1971.
- MATTA, W.H.; SHAW, R.W.; HESP, R.; EVANS, R. Reversible trabecular bone density loss following induced hypo-estrogenism with the GnRH analogue buserelin in premenopausal women. **Clin. Endocrinol.**, v.29, p.45-51, 1988.
- Matta,W.H.M.;Stabile,I.;shaw,R.W.;Campbell,S. Doppler assessment of uterine blood flow changes in patients with fibroids receiving the gonadotropin-releasing hormone agonist Buserelin. **Fertil and Steril.** 49(6) :1083-1085, 1988.
- MCLACHLAN, R. I; HEALY, D. L.; BURGER, H. G. Clinical aspects of LHRH analogues in gynaecology: a review. **Br. J. Obstet. Gynaecol.**, v.93, p.431-54, 1986.

- MERRIL, J.A.; CREASMAN, W.T. **Lesions of the corpus uteri. Obstetrics and gynecology.** Philadelphia, Lippincott, 1980. p.1068-96.
- Miller CE; Are fibroids a cause of infertility? *Infert Reprod Med Clin North Am* 1997; 8:639-647.
- MILLS, B. Immunohistochemistry em AFIP Laboratory Methods in Histotechnology 247-55.
- Mixson WT, Hammond DO: Response of fibromyomas to a progestin. *Am J Obstet Gynecol* 82:754-759,1961.
- MOGHISSI, K. Hormonal therapy before surgical treatment for uterine leiomyoma. **Surg. Gynecol Obstet.**, v.172, p.497-502, 1991.
- MONTAGUE, A.C.W.; SWARTZ, D.P.; WOODRUFF, J.D. Sarcoma arising In a leiomyoma of He uterus. **Am. J. Obstet. Gynecol.**, v.92, p.421-7, 1965.
- NAGAMANI, M.; STUART, C.A. Specific binding sites for insulin in the human myometrium and leiomyomas of the uterus. **Fertil. Steril.**, v.58, p.120-3, 1992.
- NEZHAT, C. The “cons” of laparoscopic myomectomy in women who may reproduce in the future. **Int. J. Fertil.**, v.41, p.280-3, 1996.

- NORUSIS M. J. SPSS for Windows Base System. SPSS Inc. Chicago, Illinois, U.S.A.
- OHTSUKA, H.; HINOHARA, M.; KASHIMURA, M.; YOSHIDA, K.; OKAMURA, Y. A comparison of radioreceptor assay and immunocytochemical staining for estrogen receptor in leiomyoma and myometrium. **Nippon Sanka Fujinka Gakkai Zasshi**, v.40, p.1400-4, 1988.
- PACE, S.; FRANCESCHINI, P.; FIGLIOLINI, M. Miomectomia per via isteroscopica. **Minerva Ginecol.**, v.44, p.623-8, 1992.
- PAILLOT, J.; BANCAUD, B. Traitement endoscopique des myomes utérins. **Presse Med.**, v.22, p.1224-5, 1993.
- PALAGIANO, A.; TROTTA, C.; IZZO, A.; RAGUCCI, N. L'impiego della triptorelina nella terapia medica dei miomi uterini. **Minerva Ginecol.**, v.45, p.171-5, 1993.
- PASQUALINI, J.R.; CORNIER, E.; GRENIER, J.; VELLA, C.; SCHATZ, B.; NETTER, A. Action du décapeptyl (D-Trp<sup>6</sup>GnRH) sur les récepteurs oestrogéniques, les récepteurs de la progestérone et sur la concentration tissulaire d'oestrogènes (non-conjugués et sous forme sulfate) chez des patientes atteintes de fibrome utérin. **Pathol. Biol.**, v.38, p.941-3, 1990.

- PETRI, W.; SEIDEL, R.; SANDOW, J. A pharmaceutical approach to long term therapy with peptides. LhRh and its analogues, 3° ed., 1984.
- PORTER, K.B.; TSIBRIS, J.C.M.; NICOSIA, S.V.; MURPHY, J.M.; O'BRIEN, W.F.; RAO, P.S.; SPELLACY, W.N. Estrogen-Induced guinea pig model for uterine leiomyomas: Do the ovaries protect?. **Biol. Reprod.**, v.52, p.824-32, 1995.
- PUUKKA, M.J.; KONTULA, K.K; KAUPILA, A.J.I. et al. Estrogen receptor in human myoma tissue, mo. and cell. **Endocrinology**, v.6, p.35, 1976.
- RAFAELOFF, R.; PATEL, R.; YIP, C.; GOLDFINE, I.D.; HAWLEY, DM. Mutation of the high cystinic region of the human insulin receptor  $\alpha$ -subunit increases insulin receptor binding affinity and transmembrane signalling. **J. Biol. Chem.**, v.264, p.15900-4, 1989. pg???
- Regidor, PA; Schmidt, M; Callies, R; Kato, K; Schindler, AE. Estrogen and progesterone receptor content of GnRH analogue pretreated and untreated uterine leiomyomata. *Eur. J. Obstet. Gynecol Reprod Biol*, 63: 69 -71, 1995.
- REIN, M.S.; BARBIERI, R.L.; WELCH, W.; GLEASON, R.E.; CAULFIELD, J.P.; FRIEDMAN, A.J. The concentrations of collagen-associated amino acids are higher in GnRH agonist-treated uterine myomas. **Obstet. Gynecol.**, v.82, p.901-5, 1993.



- REIN, M.S.; FRIEDMAN, A.J.; BARBIERI, R.L. Cytogenic abnormalities In leiomyomata. **Obstet. Gynecol.**, v.97, p.1923, 1991.
- REIN, MS; BARBIERI, RL; FRIEDMAN, AJ. Progesterone: A critical role in the pathogenesis of uterine myomas. **Am. J. Obstet. Gynecol.**, v.172, p.14-8, 1995.
- REIN, MS; Friedman, AJ. Medical therapy for uterine leiomyomata in reproductive endocrine therapeutics. In: Barbieri RL, Schiff I, eds. Reproductive endocrine therapeutics. New York: Alan R. Liss, 1988: 198 -222
- Robbins, SL; Cotran, RS; Kumar, V. Patologia estrutural e funcional. 1989
- RUTGERS, J.L.; SPONG, C.Y.; SINOW, R.; HEINER, J. Leuprolide acetate treatment and myoma arterial size. **Obstet. Gynecol.**, v.86, p.386-8, 1995.
- SAKAMATO, H.; LERANTH, C.; MACCLUSKY, N.J.; SAITO, Y.; NAFTOLIN, F. Insulin specific binding sites in the myometrium of pregnant rats. **Endocrinology**, v.120, p.1951-5, 1987.
- SCHMIDT, C. Application of GnRH agonists for gynecologic patients. **Contemp. Obstet. Gyencol.**, v.37, p.50-63, 1991.

- SHERWIN, B.B.; TULANDI, T. "Add-back" estrogen reverses cognitive deficits induced by a gonadotropin-releasing hormone agonist in women with leiomyomata uteri. **J. Clin. Endocrinol. Metab.**, v.81, p.2545-9, 1996.
- SIEGEL S, CASTELLAN N J Nonparametric Statistic for Behavioral Sciences. Segunda Edição . McGraw Hill, New York, U.S.A., 1988.
- SOCOLOV, R.V.; PRICOP, F.Z.; STRATAN, D. La malignité du sarcome utérin, par comparaison avec les léiomyomes suspects. Étude anatomo-clinique sur seize cas. **Rev. Fr.. Gynécol. Obstét.**, v.87, p.457-60, 1992.
- SOSIC, A.; SKUPSKI, D.W.; STRELTZOFF, J.; YUN, H.; CHERVENAK, F.A. Vascularity of uterine myomas: assessment by color and pulsed doppler ultrasound. **Int. J. Obstet. Gynecol.**, v.54, p.245-50, 1996.
- Sreenan, J.J.; Prayson, R.A.; Biscotti, C.V.; Thorton, M.H.; Easley, K.A.; Hart, W.R. Histopathologic Findings in 107 uterine Leiomiomas Treated with Leuprolide Acetate Compared with 126 controls. *Am. J. Surg. Pathol.* 20(4): 427-432, 1996.
- STOVALL, T.G.; MUNEYYIRCI-DELALE, O.; SUMMITT, R.L., Jr.; SCIALLI, A.R. GnRH agonist and iron versus placebo and iron in the anemic patient before surgery for leiomyomas: a randomized controlled trial. **Obstet. Gynecol.**, v.86, p.65-71, 1995.

- STROBELT, N.; GHIDINI, A.; CAVALLONE, M.; PENSABENE, I.; CERUTI, P.; VERGANI, P. Natural history of uterine leiomyomas in pregnancy. **J. Ultrasound Med.**, v.13, p.399-401, 1994.
- THOMAS, M.A.; GASS, M.L.S.; SCOTT, M.C.; LIU, J.H. Multiple therapies for vaginal bleeding secondary to large uterine myomas. **Int. J. Gynecol. Obstet.**, v.36, p.239-41, 1991.
- THORP, J.M., Jr.; KATZ, V.L. Submucous myomas treated with gonadotropin releasing hormone agonist and resulting in vaginal hemorrhage. A case report. **J. Reprod. Med.**, v. ?, p.625-6, ?.
- TOWNSEND, D.E.; SPARKES, R.S.; BALUDA, M.C.; MCCLELLAND, G. Unicellular histogenesis of uterine leiomyomas as determined by electrophoresis of glucose-6-phosphate dehydrogenase. **Am. J. Obstet. Gynecol.**, v.107, p.168, 1970.
- TUMMOM, J.S.; RADWANSKA, E.; ALI, A.; BINOR, Z.; PEPPING, M.E.; DMOWSKI, W.P. Bone mineral density in women with endometriosis before and during ovarian suppression with gonadotropin-releasing hormone agonists or danazol. **Fertil. Steril.**, v.49, p.792-6, 1988.
- UGUR, M.; TURAN, C.; MUNGAN, T.; AYDOGDU, T.; SAHIN, Y.; GOKMEN, O. Laparoscopy for adhesion prevention following myomectomy. **Int. J. Gynecol. Obstet.**, v.53, p.145-9, 1996.

- UPADHYAYA, N.B.; DOODY, M.C.; GOOGE, P.B.  
Histopathological changes in leiomyomas treated with leuprolide acetate. **Fertil. Steril.**, v.54, p.811-4, 1990.
- VEKAUT, B.S. Changing trend in treatment of leiomyomata uteri. **Curr. Opin. Obstet. Gynecol.**, v.5, p.301, 1993. ???????????
- VERCELLINI, P.; BOCCIOLONE, L.; COLOMBO, A.; VENDOLA, N.; MESCHIA, M.; BOLIS, G. Gonadotropin releasing hormone agonist treatment before hysterectomy for menorrhagia and uterine leiomyomas. **Acta Obstet. Gynecol. Scand.**, v.72, p.369-73, 1993.
- VERKAUF, B.S. Myomectomy for fertility enhancement and preservation. **Fertil. Steril.**, v.58, p.1-15, 1992.
- Vu, K; Greenspan, DL; Wu, T-C; Zacur, HA; Kurman, RJ. Cellular proliferation, estrogen receptor, progesterone receptor, and BCL-2 expression in GNRH agonist-treated uterine leiomyomas. **Human Pathol.** 29 (4): 359 -363, 1998.
- WALLACH, E.E. Myomectomy. In: THOMPSON J.D.; ROCK, J.A., ed. **TeLinde's operative gynecology**. 7.ed. Philadelphia, Lippincott, 1992. p.647-62.
- Weidner, N; Folkman, J; Pozza, F; Allred, EN; Moore, DH, et al. Tumor angiogenesis: a new significant and independent

prognostic indicator in early stage breast cancer. *J Natl Cancer Inst*, 84: 1875 -87, 1992.

- WILSON, E.A.; YANG, F.; REES, D. Estradiol and progesterone binding in uterine leiomyomata and in normal uterine tissues. **Obstet. Gynecol.**, v.55, p. 20-4, 1980.
- YU, C.C.W.; FLETCHER, C.D.M.; LEVISON, D.A. A comparison of proliferating cell nuclear antigen (PCNA) immunostaining, nucleolar organizer region (AgNOR) staining, and histological grading in gastrointestinal stromal tumours. **J. Pathol.**, v.166, p.147-52, 1992.